
8/2019





# U-BOLT DOUBLE CHAINLINK CANTILEVER


DOUBLE TRACK LWR INT GUIDE

|| || ||











© 2018, Barrette Outdoor Living

THE INFORMATION CONTAINED IN THIS DRAWING IS PROTECTED BY
COPYRIGHT AND PATENT LAWS
OF THE UNITED STATES AND
OTHER COUNTRIES. ANY REPRODUCTION IN PART OR AS A
WHOLE WITHOUT WRITTEN
PERMISSION IS PROHIBITED.

Barrette BARRETTE Outdoor Livin						
DRAWN:	JH	DATE: 09/15	5/2017	APPROVED:		
U-BOLT DBL CHLINK CNT DBL TRK INSTR 6"						
SH	HEET 1 OF 13	REVISION	REVISION PART NUMBER			
10	SCALE:		3	34110599		
	WEIGHT:	203				

ITEM #	PART #				DESCRIPTION	QTY	
1	34110599 T			U-BOLT DOUBLE CHAINLINK CANTILEVER DOUBLE TRACK LOWER INTERIOR GUIDE 6" -INSTRUCTIONS	1		
2				U-BOLT DOUBLE CANTILEVER DOUBLE SIDE TRACK LOWER INTERIOR GUIDE 6" -HARDWARE KIT	1		
3		6112	23135		HARDWARE KIT CANTILEVER GATE STOP	2	
	61123010 BG 61123015 LB			LB			
	61123011	BK	61119105	MB	U-BOLT SIDE TROLLEY BRACKET 6"		
4	61123012	BZ	61111354	MF			
	61123013	GR	61119106	MZ			
	61123014	GY	61123016	WH			
	61123024	BG	61123029	LB			
	61123025	BK	61119109	MB	7		
5	61123026	BZ	61111356	MF	U-BOLT BTM GUIDE BRACKET 6"	4	
	61123027	GR	61119110	MZ			
	61123028	GY	61123030	WH	1		
6		7302	22674		8 WHEEL TROLLEY	8	
	61111173	BG	61111178	LB			
	61111174	BK	61119093	MB			
7	61111175	BZ	61111179	MF	T-SLOT RECEIVER GATE		
	61111176	GR	61119094	MZ			
	61111177	GY	61111180	WH	7		
	61111046	BG	61111170	LB			
	61111047	BK	61119091	MB	T-SLOT RECEIVER DBL		
8	61111048	BZ	61111171	MF			
	61111049	GR	61119092	MZ			
	61111169	GY	61111172	WH			
	61123151	BG	61123156	LB			
	61123152	BK	61119113	MB			
9	61123153	BZ	61123157	MF	CHAINLINK COVER - DOUBLE TRACK		
	61123154	GR	61119051	MZ			
	61123155	GY	61123158	WH	7		
	61123159	BG	61123164	LB			
	61123160	BK	61119052	MB	1		
10	61123161	BZ	61123165	MF	CHAINLINK COVER - BTM GUIDE FRAME		
	61123162	GR	61119053	MZ			
	61123163	GY	61123166	WH			
11	11 34110287			1.43" DIA. DELRIN GUIDE WHEEL	4		

	73022816	BG	73026018	GY			
12	73022817	BK	73022820	LB	SCREW #14X1-1/2 HX HD SDS 410 SS		
12	73022818	BZ	73022415	MF	30REW #14X1-1/2 HX HD 3D3 410 33	10	
	73022819	GR	73022821	WH			
13	61124153	BK	73022455	MF	CHAIN LINK TENSION BAND	TBD*	
14	61124154	BK	73022456	MF	BARBED WIRE BRACE BAND	12**	
15		341	10107		3/8"-16X1-1/2" CARRIAGE BOLT ZINC GRADE A307	TBD***	
16		341	10108		3/8"-16 HEX NUT ZINC	TBD***	
17		341	10341		GREASE 3 OZ.	1	
18	34110444				U-BOLT 1/2"-13x6" SQ ZINC	24	
19	34110251				1/2" SPLIT LOCK WASHER ZINC		
20	34110252				1/2"-13 HEX NUT ZINC	52	
21	34110257			5/8" SHOULDER BOLT 1" LONG STEEL	4		
22	34110215			NYLON WASHER .08x1.25x.75 ID	4		
23	34110256			3/8"-16x3" CARRIAGE BOLT ZINC GRADE A307	2		
24	34110107				3/8"-16 HEX NUT ZINC	2	
25	34110281				3/8" WASHER ZINC	2	
26	34110578			34110578 5/8"-11X1-3/4 BOLT HEX HD ZINC GRADE 5		1	
27	34110579				5/8"-11 HEX NUT ZINC	1	
28	34110580			5/8" FLAT WASHER ZINC	2		
29	61124157	BK	61124155	MF	BOLT-ON BARB WIRE UPRIGHT	TBD****	
30	34110855				SCREW - 5/16-12 X 1-1/2 HWH SDS ZINC	TBD****	

NOTE:

1.) ITEM #18 TO #25 IS PART OF 34110403 HARDWARE KIT ( SEE SHEET 1-ITEM 2)

2.) ITEM #26 TO #28 IS PART OF 61123135 HARDWARE KIT ( SEE SHEET 1-ITEM 3)

3.) FOR MATTE BLACK KITS USE BLACK SCREWS

4.) FOR MATTE BRONZE KITS USE LIGHT BRONZE SCREWS

### \* - QUANTITY DETERMINED BY GATE HEIGHT - SEE TABLE BELOW

\*\* - ONLY IF BARBED WIRE BRACE BAND REQUIRED

\*\*\* - SAME NUMBER AS CHAINK LINK TENSION BAND

- + 12 ( IF BARBED WIRE BRACE BAND REQUIRED)
- \*\*\*\* QUANTITY DETERMINED BY NUMBER OF UPRIGHTS IN THE GATE OPENING

#### \*\*\*\*\* - NUMBER OF ITEMS FROM ROW 29 MULTIPLIED BY 2

	ATE HEIGHT (FT) NUMBER OF TENSION BANDS-PER SINGLE GATE		Barrette BARRETTE Outdoor Living
	4	6	DRAWN: JH DATE: 09/15/2017 APPROVED:
	5	8	
	6	10	INSTR 6"
Ľ	8	14	SHEET 2 OF 13 SCALE: WEIGHT: SCALE: SCALE: WEIGHT: SCALE

THE INFORMATION CONTAINED IN THIS DRAWING IS PROTECTED BY COPYRIGHT AND PATENT LAWS OF THE UNITED STATES AND OTHER COUNTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.

# **INSTALLATION PROCEDURE:**

1.SET 6" POSTS IN THE GROUND - SEE POST LOCATION BELOW.

2.INSTALL TOP BRACKET (ITEM #4) AND WHEEL TROLLEY (ITEM #6) - SEE SHEET 4

3.INSTALL BTM BRACKET (ITEM #5) AND GUIDE WHEEL (ITEM #11) - SEE SHEET 5

4.PLACE GATE IN THE POSITION - SLIDE GATE TOP TRACK INTO WHEEL TROLLEY (ITEM #6) AND BTM ROLLER GUIDE ON GUIDE WHEEL (ITEM #11) - SEE SHEET 6

5.INSTALL RECEIVER DBL (ITEM #8) AND GATE RECEIVER (ITEM #7) - SEE SHEET 7

6.INSTALL GATE STOP (BOLT-ITEM #26,NUT- ITEM #27,WASHERS-ITEM # 28) ON THE END OF THE TRACK - SEE SHEET 8 ( ONE GATE STOP REQUIRED ONLY - PER LEAF)

7.INSTALL COVER-TOP TRACK (ITEM #9) ON THE END OF THE TOP TRACK - SEE SHEET 9

8.INSTALL COVER-BTM FRAME (ITEM #10) ON THE END OF THE BTM FRAME - SEE SHEET 10


9.INSTALL TENSION BANDS (ITEM #13) ON THE UPRIGHT - SEE SHEET 11 ( IF REQUIRED)


10.INSTALL BARBED WIRE TENSION UPRIGHTS (ITEM #29) ON TOP TRACK. UPRIGHTS NEEDS TO BE WELDED (BY MANUFACTURER) OR BOLTED (BY CUSTOMER) - SEE SHEET 12 (IF REQUIRED)


11.INSTALL BARBED WIRE TENSION BANDS (ITEM #14) ON THE UPRIGHT - SEE SHEET 13 ( IF REQUIRED)


## NOTE:


- APPLY GREASE (ITEM #17) ON THE SHOULDER BOLTS (ITEM #21), INSIDE GUIDE WHEELS (ITEM # 11) AND TOP OF NYLON WASHER (ITEM #22). MAINTAIN GREASE EVERY 4 TO 6 MONTHS.

































ITEM #	PART #	DESCRIPTION	
26	34110578	5/8"-11X1-3/4 BOLT HEX HD ZINC GRADE 5	1
27	34110579	5/8"-11 HEX NUT ZINC	1
28	34110580	5/8" FLAT WASHER ZINC	2

28

26



27

Barrette			ARRETTE utdoor Living
JS	<sup>E:</sup> 08/0	03/2017	APPROVED:
	_		R GATE STOP
SHEET 1 OF 1 SCALE 1:1 WEIGHT:		PART NUMBER	61123135

THE INFORMATION CONTAINED IN THIS DRAWING IS PROTECTED BY COPYRIGHT AND PATENT LAWS OF THE UNITED STATES AND OTHER COUNTRIES. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT WRITTEN PERMISSION IS PROHIBITED.